

# TYPE ET124/ET134 & E2T134

## TEMPERATURE & PRESSURE REGULATOR

CAST IRON or STEEL


### APPLICATION DATA

- Instantaneous Heaters
- Jacketed Kettles
- Storage Heaters
- Oil Heaters
- Batch Heating
- Process Heaters
- Vats
- Driers
- Ovens

### MODELS

- ET124 for heater operating pressures between 20 and 125 psi.
- ET134 for heater operating pressures up to 20 psi.
- E2T134 for heater operating pressures up to 15 psi.

### TYPE ET124 TEMPERATURE & PRESSURE REGULATOR



E VALVE INFO  
PAGE 28



E2 VALVE INFO  
PAGE 30

PILOT INFO  
PAGE 74

### DIMENSIONS

inches (mm)

SIZE	F	G	
		E	E2
3/8 (10)	5 3/8 (136)	1 1/4 (32)	—
1/2 (15)	5 3/8 (136)	1 1/4 (32)	—
3/4 (20)	5 5/8 (143)	1 3/8 (35)	1 3/8 (35)
1 (25)	5 3/4 (146)	1 1/2 (38)	1 1/2 (38)
1 1/4 (32)	6 (152)	1 7/8 (48)	1 7/8 (48)
1 1/2 (40)	6 1/4 (159)	2 (51)	2 (51)
2 (50)	6 5/8 (168)	2 1/8 (54)	2 1/8 (54)
2 1/2 (65)	6 3/4 (171)	2 3/8 (60)	2 3/8 (60)
3 (80)	7 1/4 (184)	2 3/4 (70)	2 3/4 (70)
4 (100)	8 (203)	3 1/2 (89)	3 1/2 (89)
5 (125)	9 (229)	3 1/2 (89)	3 1/2 (89)
6 (150)	9 7/8 (251)	4 (102)	4 (102)
8 (200)	10 1/2 (267)	6 1/4 (159)	6 1/4 (159)
10 (250)	12 1/2 (318)	6 (152)	6 (152)
12 (300)	14 (356)	8 1/2 (216)	7 1/4 (184)



Valve is tapped so that Pilot may be mounted on either side.